


Repetições / Loops



Primeiro pedaço

- 1) Pegar um pedaço da pizza
- 2) Levar até a boca
- 3) Comer o pedaço de pizza

Terceiro pedaço

- 1) Pegar um pedaço da pizza
- 2) Levar até a boca
- 3) Comer o pedaço de pizza


Segundo pedaço

- 1) Pegar um pedaço da pizza
- 2) Levar até a boca
- 3) Comer o pedaço de pizza

Quarto pedaço

- 1) Pegar um pedaço da pizza
- 2) Levar até a boca
- 3) Comer o pedaço de pizza

Repetições / Loops



Pegar pedaço (1...4)

- 1) Pegar um pedaço da pizza
- 2) Levar até a boca
- 3) Comer o pedaço de pizza

Repetir 4 vezes

Loops

facebook

Wireframe View

max. 600px

180px

1

2

3

4

...

Loops



The image shows a wireframe design tool interface for a Facebook page. The main content area displays a list of items, each represented by a grey rectangular placeholder. To the right of the list, a code block is overlaid, illustrating a loop structure. The code block is written in orange text and consists of an opening curly brace, a condition in parentheses, an opening square bracket, a list of five items (each with a number 1-4 and an ellipsis), a closing square bracket, and a closing curly brace.

```
(Condição) [  
1  
2  
3  
4  
...  
]
```